



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: **ADVANCED GEOLOGIC EXPLORATION**
P.O. BOX 1956
CHESTER CA 96020

Page: 1
 Finalized Date: 6-DEC-2010
 Account: ADVGEO

CERTIFICATE RE10170989

Project:
 P.O. No.:
 This report is for 32 Rock samples submitted to our lab in Reno, NV, USA on 24-NOV-2010.
 The following have access to data associated with this certificate:
 CHARLES WATSON

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available

To: **ADVANCED GEOLOGIC EXPLORATION**
ATTN: CHARLES WATSON
P.O. BOX 1956
CHESTER CA 96020

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: ADVANCED GEOLOGIC EXPLORATION
 P.O. BOX 1956
 CHESTER CA 96020

Page: 2 - A
 Total # Pages: 2 (A - C)
 Finalized Date: 6-DEC-2010
 Account: ADVGEO

CERTIFICATE OF ANALYSIS RE10170989

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-GRA21 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
4A-1		2.33	0.135		>100	0.16	578	<10	30	<0.5	<2	4.98	72.9	8	23	1280
4A-2		2.25	0.953		>100	0.11	2160	10	10	<0.5	2	0.42	48.9	41	30	1680
4A-3		2.20	0.169		11.4	0.56	>10000	10	20	0.7	4	1.57	1.6	9	26	472
4A-4		2.78	0.276		>100	0.24	1410	<10	20	0.7	5	0.63	6.0	90	13	776
4A-6		2.91	0.977		>100	0.32	874	<10	20	0.9	19	6.72	9.3	60	10	285
4A-9		2.24	0.137		35.1	0.17	75	<10	10	0.5	2	7.2	57.3	4	11	123
4A-10		2.12	0.018		1.7	1.38	35	<10	20	6.5	<2	16.2	<0.5	7	11	13
4A-11		2.21	0.007		6.4	0.81	41	<10	40	1.4	<2	7.0	<0.5	12	13	29
RF-1		2.34	>10.0	25.7	91.2	0.29	103	<10	10	3.5	7	3.14	29.5	13	9	3520
RF-2		2.56	7.32		>100	0.18	291	<10	10	1.1	<2	0.90	82.9	6	18	6410
RF-3		1.85	>10.0	41.0	6.3	0.22	3100	10	10	0.6	247	0.45	<0.5	66	57	378
RF-4		2.14	4.35		>100	0.11	348	<10	30	1.1	135	6.56	1.9	27	11	294
SF-1		2.43	2.96		>100	0.08	104	<10	70	<0.5	<2	0.22	7.3	6	34	624
SF-2		1.90	2.30		>100	0.09	295	<10	30	<0.5	56	4.94	65.1	10	9	797
WC-1		2.44	0.114		1.5	0.21	21	<10	40	<0.5	<2	>25.0	<0.5	2	3	43
WC-2		2.64	0.014		9.2	1.53	117	<10	30	4.5	11	7.0	<0.5	10	20	76
WC-3		2.18	0.026		4.6	0.24	93	<10	130	2.8	<2	20.9	0.7	6	4	112
FH-3		2.12	7.97		1.6	0.43	3210	20	20	<0.5	116	1.86	<0.5	60	43	354
FH-5		2.22	4.71		0.9	1.22	154	20	10	1.0	135	0.82	<0.5	36	38	572
FH-6		2.02	>10.0	40.3	6.4	1.10	2860	10	30	0.6	532	0.41	<0.5	62	108	622
FH-10		2.81	0.499		0.6	0.27	76	<10	10	0.5	8	0.17	<0.5	3	13	46
FH-11		2.16	2.75		0.7	0.73	75	10	10	0.8	35	0.95	<0.5	43	25	703
FH-12		1.98	6.47		1.6	0.20	107	<10	10	<0.5	55	2.49	<0.5	32	20	341
FH-13		2.04	6.47		1.6	0.70	663	60	10	1.2	126	0.23	<0.5	72	29	444
FH-14		2.10	>10.0	15.35	1.7	0.51	182	<10	30	0.8	222	0.27	<0.5	13	24	233
FH-16		2.30	0.196		1.5	0.20	122	<10	20	<0.5	8	0.21	<0.5	30	26	311
FH-18		1.77	3.72		>100	0.14	1060	<10	10	0.6	4	4.48	69.2	12	17	403
FH-19		2.55	0.061		2.9	0.76	14	<10	10	<0.5	<2	0.30	<0.5	11	84	155
FH-20		2.08	0.309		10.9	0.22	1290	<10	30	0.7	<2	4.78	32.9	5	8	93
FH-21		2.01	1.160		24.1	0.10	>10000	30	10	0.6	2	12.6	13.6	13	35	282
4A-14		2.32	1.015		0.9	0.12	577	60	10	1.9	81	0.42	<0.5	87	9	1620
Braden Mine -1		1.40	0.026		0.4	0.81	210	<10	280	<0.5	<2	2.97	<0.5	11	7	40



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: ADVANCED GEOLOGIC EXPLORATION
 P.O. BOX 1956
 CHESTER CA 96020

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 6-DEC-2010
 Account: ADVGEO

CERTIFICATE OF ANALYSIS RE10170989

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm
4A-1		2.78	<10	6	0.11	10	0.03	606	235	0.01	65	70	4880	0.06	853	3
4A-2		5.03	<10	55	0.08	10	0.01	556	1105	0.01	27	50	>10000	0.09	1450	1
4A-3		9.77	<10	1	0.20	10	0.14	55	24	0.01	46	180	59	0.05	7	2
4A-4		16.1	<10	2	0.13	10	0.03	187	119	0.01	86	150	2520	0.04	160	2
4A-6		6.68	<10	1	0.17	10	0.05	822	14	0.01	39	120	818	0.04	8	3
4A-9		4.21	<10	<1	0.07	10	0.03	595	37	0.01	6	70	417	0.19	<2	3
4A-10		3.88	10	1	0.02	20	0.32	2780	28	0.01	11	430	15	<0.01	<2	2
4A-11		2.78	<10	<1	0.26	30	0.17	824	7	0.01	21	320	15	<0.01	<2	5
RF-1		8.98	<10	3	0.05	<10	0.06	1285	387	0.01	6	160	6300	0.03	212	1
RF-2		3.34	<10	9	0.08	10	0.03	1005	6410	0.01	4	340	>10000	0.05	1020	1
RF-3		17.4	<10	1	0.13	10	0.05	88	128	0.01	101	90	170	0.03	210	1
RF-4		7.13	<10	<1	0.07	30	0.03	992	132	0.01	20	80	217	0.07	6	3
SF-1		1.98	<10	1	0.05	<10	0.02	503	376	<0.01	11	80	3100	0.08	12	1
SF-2		4.81	<10	1	0.06	10	0.05	1925	106	0.01	27	40	2070	0.05	19	3
WC-1		0.57	<10	<1	0.02	<10	0.36	551	2	0.02	3	180	23	<0.01	<2	2
WC-2		7.64	10	<1	0.03	20	0.35	1540	16	0.04	8	290	45	0.02	4	3
WC-3		2.84	<10	<1	0.03	10	0.11	3790	14	0.01	11	150	34	<0.01	<2	1
FH-3		13.90	<10	<1	0.13	<10	0.21	142	62	0.04	342	170	7	0.06	<2	3
FH-5		18.8	10	<1	0.07	20	0.21	143	82	0.05	28	210	16	0.04	<2	4
FH-6		19.2	10	<1	0.15	10	0.54	192	70	0.05	286	170	25	0.09	<2	5
FH-10		1.19	<10	<1	0.20	10	0.02	103	12	0.04	8	30	45	0.01	<2	1
FH-11		13.00	10	<1	0.13	10	0.12	93	151	0.01	24	160	14	0.04	<2	3
FH-12		10.20	<10	<1	0.04	<10	0.03	74	72	0.01	16	110	5	0.04	<2	1
FH-13		14.2	<10	<1	0.11	10	0.11	98	119	0.21	29	200	8	0.12	<2	3
FH-14		13.45	<10	<1	0.20	20	0.06	94	66	0.01	32	220	14	0.06	<2	3
FH-16		7.75	<10	<1	0.08	20	0.08	61	36	0.01	146	70	5	0.08	<2	2
FH-18		7.49	<10	<1	0.09	10	0.03	987	1410	0.02	24	80	7850	0.05	144	2
FH-19		6.24	<10	<1	0.32	<10	0.52	101	14	0.02	73	150	27	0.03	<2	5
FH-20		4.52	<10	<1	0.17	10	0.04	1650	42	0.01	22	140	267	0.05	<2	4
FH-21		9.60	<10	1	0.08	<10	0.11	4100	47	0.03	87	50	1495	0.05	27	7
4A-14		25.0	<10	1	0.03	10	0.06	324	98	0.02	124	60	98	0.05	5	7
Braden Mine -1		2.04	<10	<1	0.30	<10	0.59	1405	<1	0.03	18	550	12	0.09	<2	4



ALS USA Inc.
 4977 Energy Way
 Reno NV 89502
 Phone: 775 356 5395 Fax: 775 355 0179 www.alsglobal.com

To: ADVANCED GEOLOGIC EXPLORATION
 P.O. BOX 1956
 CHESTER CA 96020

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 6-DEC-2010
 Account: ADVGEO

CERTIFICATE OF ANALYSIS RE10170989

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Ag-OG46	Zn-OG46
		Sr	Th	Ti	Tl	U	V	W	Zn	Pb	Ag	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	%
		1	20	0.01	10	10	1	10	2	0.001	1	0.001
4A-1		38	<20	<0.01	<10	10	34	<10	8270		1015	
4A-2		14	<20	<0.01	<10	40	13	60	>10000	2.13	708	4.29
4A-3		102	<20	<0.01	<10	10	28	<10	668			
4A-4		20	<20	<0.01	<10	10	70	40	5940		643	
4A-6		48	<20	<0.01	<10	<10	37	30	1035		167	
4A-9		28	<20	<0.01	<10	<10	22	20	6960			
4A-10		160	<20	0.03	<10	10	18	40	199			
4A-11		66	<20	0.02	<10	<10	21	<10	195			
RF-1		37	<20	<0.01	<10	30	31	1110	4780			
RF-2		34	<20	<0.01	<10	40	9	30	>10000	2.33	148	2.69
RF-3		22	<20	0.01	<10	10	59	20	138			
RF-4		25	<20	<0.01	<10	20	30	30	548		102	
SF-1		13	<20	<0.01	<10	<10	187	160	1465		895	
SF-2		67	<20	<0.01	<10	10	6	10	6370		378	
WC-1		2070	20	0.01	<10	<10	3	10	157			
WC-2		125	<20	0.09	<10	<10	20	90	115			
WC-3		707	<20	0.01	<10	10	24	60	125			
FH-3		53	<20	0.02	<10	10	113	<10	22			
FH-5		81	<20	0.04	<10	<10	57	<10	54			
FH-6		67	<20	0.03	<10	10	187	<10	34			
FH-10		10	20	<0.01	<10	<10	7	<10	62			
FH-11		41	<20	0.02	<10	10	34	<10	69			
FH-12		19	<20	<0.01	<10	<10	18	<10	13			
FH-13		50	<20	0.01	<10	10	47	<10	14			
FH-14		35	<20	<0.01	<10	<10	34	<10	16			
FH-16		11	<20	<0.01	<10	<10	23	<10	15			
FH-18		43	<20	<0.01	<10	10	49	<10	2670		858	
FH-19		21	<20	0.07	<10	<10	79	<10	48			
FH-20		32	<20	<0.01	<10	<10	12	<10	2220			
FH-21		141	<20	<0.01	<10	10	25	<10	2280			
4A-14		40	<20	<0.01	<10	20	361	40	53			
Braden Mine -1		121	<20	<0.01	<10	<10	17	<10	56			